

Form PTO-100 (REV. 8-83)

U.S. Department of Commerce
Patent and Trademark Office

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

Atty. Docket:
2002834-0046

In re Application No.:
09/494,096

Applicants: Bannon, et al.

Filing Date:
January 28, 2000

Group: 1644

RECEIVED

SEP 13 2002

ISSUED U. S. PATENTS

TECH CENTER 1600/2900

Examiners Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
Pnk	*3,645,852	Axen, et al.	February 29, 1972	195	68
	*3,720,760	Bennich et al.	February 7, 1984	436	51.3
	*4,171,299	Hamburger	October 16, 1979	260	112.5
	*4,338,297	Michael et al.	July 6, 1982	424	91
	*4,469,677	Michael et al.	September 4, 1984	424	91
	*4,535,010	Axen et al.	August 13, 1985	427	246
	*4,579,840	Hahn et al.	April 1, 1986	514	14
	*4,659,678	Forrest et al.	April 21, 1987	436	512
	*4,696,915	Horecker	September 29, 1987		
	*4,816,449	Hahn et al.	March 28, 1989	514	17
	*4,849,337	Calenoff et al.	July 18, 1989	435	7
	*4,900,556	Wheatley, et al.	February 13, 1990	424	450
	*5,026,545	Saint-Remy et al.	June 25, 1991		
	*5,049,390	Wojdani	September 17, 1991	424	450
	*5,091,318	Anawis et al.	February 25, 1992	436	513
	*5,169,933	Anderson et al.	December 8, 1992	531	391.3
	*5,314,991	Oka et al.	May 24, 1994	530	350
	*5,449,669	Metcalf et al.	September 12, 1995	514	13
	*5,480,972	Avjioglu et al.	January 2, 1996	530	379
	*5,486,452	Gordon et al.	January 23, 1996	435	5
	*5,496,554	Oka et al.	March 5, 1996	424	276.1
	*5,543,144	Chang	August 6, 1996	424	133.1
	*5,547,669	Rogers et al.	August 20, 1996	424	185.1
	*5,558,869	Burks, Jr. et al.	September 24, 1996	424	276.1
	*5,583,046	Valenta et al.	December 10, 1996	435	320.1
	*5,591,433	Michael et al.	January 7, 1997	424	184.1
	*5,597,895	Gaynor et al.	January 28, 1997	530	324
	*5,616,559	Androphy et al.	April 1, 1997	514	12
	*5,625,039	Washida et al.	April 29, 1997	530	388.25
	*5,637,454	Harley	June 10, 1997	435	5
	*5,648,242	Valenta et al.	July 15, 1997	435	69.3
	*5,652,122	Frankel et al.	July 29, 1997	435	69.7
	*5,667,965	Androphy et al.	September 16, 1997	435	5
✓	*5,670,617	Frankel et al.	September 23, 1997	530	300

py n. 2/2

7/22/03



SEP 13 2002

TECH CENTER 1600/2900

ISSUED U. S. PATENTS (CONT.)


Examiners Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
<i>PAH</i>	*5,674,980	Frankel et al.	October 7, 1997	530	350
	*5,693,495	Breiteneder et al.	December 2, 1997	435	69.3
	*5,710,126	Griffith et al.	January 20, 1998	514	12
	*5,731,157	Miller et al.	March 24, 1998	435	7.4
	*5,736,149	Avjioglu et al.	April 7, 1998	424	275.1
	*5,747,641	Frankel et al.	May 5, 1998	530	300
	*5,773,003	Swain et al.	June 30, 1998	424	193.1
	*5,786,466	Breiteneder et al.	July 28, 1998	536	23.6
	*5,804,604	Frankel et al.	September 8, 1998	530	324
	*5,807,746	Lin et al.	September 15, 1998	435	375
	*5,820,862	Garman et al.	October 13, 1998	424	184.1
	*5,837,550	Breitenbach et al.	November 17, 1998	436	513
	*5,843,672	Morgenstern et al.,	December 1, 1998	435	7.1
	*5,843,710	Cobon et al.	December 1, 1998	435	69.1
	*5,869,040	Oin	February 9, 1999	424	93.21
	*5,888,762	Joliot et al.	March 30, 1999	435	69.1
	*5,891,716	Morgenstern et al.,	April 6, 1999	435	325
	*5,891,432	Hoo	April 6, 1999	424	93.21
	*5,939,283	Morgenstern et al.,	August 17, 1999	435	69.1
	*5,973,121	Burks, Jr., et al.	October 26, 1999	530	370
	*5,989,814	Frankel et al.	November 23, 1999	435	6
	*5,998,583	Korsmeyer	December 7, 1999	530	350
	*6,008,340	Ball et al.	December 28, 1999	536	23.6
<i>✓</i>	*6,060,082	Chen et al.	May 9, 2000	424	450

U.S. PATENT APPLICATIONS

Examiner's Initials	Serial Number	Filing Date
<i>PAH</i>	*07/998,377	December 30, 1992
	*08/158,704	November 29, 1993
	*08/610,424	March 4, 1996
	*09/015,657	January 28, 1999
	*09/336,463	June 18, 1999
	*60/009,455	December 29, 1995
	*08/610,424	March 4, 1996
	*08/717,933	September 23, 1996
	*09/106,872	June 29, 1998
	*60/077,763	March 13, 1998
<i>✓</i>	*09/267,719	March 11, 1999

*phy N. 2/2**7/22/03*COPY OF PAPERS
ORIGINALLY FILED

SEP 13 2002



U.S. PATENT APPLICATIONS (CONT.)

TECH CENTER 1600/2900

Examiner's Initials	Serial Number	Filing Date
PJK	*60/073,283	January 31, 1998
	*60/074,690	February 13, 1998
	*60/074,624	February 13, 1998
	*60/074,633	February 13, 1998
	*09/241,101	January 29, 1999
	*09/248,673	February 11, 1999
	*09/248,674	February 11, 1999
	*60/073,171	January 30, 1998
	*09/238,448	January 28, 1999
	*09/090,375	June 4, 1998
	*09/141,220	August 27, 1998
	*09/478,668	January 6, 2000
	*09/240,557	January 29, 1999
	*60/122,450	March 2, 1999
	*60/112,452	March 2, 1999
	*60/122,560	March 2, 1999
	*60/122,565	March 2, 1999
	*60/122,566	March 2, 1999
	*09/494,096	January 28, 2000
	*60/090,390	June 23, 1998
	*09/339,068	June 23, 1999
	*09/216,117	December 18, 1998
	*09/247,406	February 10, 1999
	*09/218,345	December 22, 1998
	*09/470,293	December 22, 1999
	*60/124,595	March 16, 1999
	*60/125,071	March 17, 1999
	*60/169,330	December 6, 1999
	*09/455,294	December 6, 1999
	*60/105,806	October 27, 1999
	*60/122,960	March 3, 1999

FOREIGN PATENT DOCUMENTS

Examiner's Initials	Document No.	Country	Date	Translation	
				Yes	No
PJK	*JP 072 85875	Japan	19 April 1994	<input checked="" type="checkbox"/>	<input type="checkbox"/>
J	*WO 90/04025	International	19 April 1990	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	*WO 91/06571	International	16 May 1991	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	*WO 91/11718	International	8 August 1991	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	*WO 92/02621	International	20 February 1992	<input checked="" type="checkbox"/>	<input type="checkbox"/>

7/22/03


COPY OF PAPERS
ORIGINALLY FILED

SEP 13 2002

FOREIGN PATENT DOCUMENTS (CONT.)

TECH CENTER 1600/2900

Examiner's Initials	Document No.	Country	Date	Translation
PJH	*WO 92/03551	International	5 March 1992	_____
	*WO 92/11859	International	23 July 1992	_____
	*WO 93/21223	International	28 October 1993	_____
	*WO 94/23035	International	13 October 1994	_____
	*WO 94/05303	International	17 March 1994	_____
	*WO 94/10194	International	11 May 1994	_____
	*WO 94/24281	International	27 October 1994	_____
	*WO 95/07933	International	23 March 1995	_____
	*WO 95/34578	International	21 December 1995	_____
	*WO 96/36880	International	21 November 1996	_____
	*WO 97/05265	International	13 February 1997	_____
	*WO 97/24139	International	10 July 1997	_____
	*WO 98/43657	International	10 August 1998	_____
	*WO 98/39029	International	11 September 1998	_____
	*WO 98/32866	International	30 July 1998	_____
	*WO 99/34826	International	15 July 1999	_____
	*WO 99/38978	International	8 May 1999	_____
	*WO 99/16467	International	8 April 1999	_____
	*WO 99/49879	International	7 October 1999	_____
	*WO 99/38978	International	5 August 1999	_____
	*WO 01/36621	International	25 May 2001	_____
↓	*EP 0684812	International	21 January 1998	_____
	*EP 0877033	International	11 November 1998	_____
Examiner's Initials	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
PJH	*AAS, et al., "Physico-Chemical Properties and Specific Activity of a Purified Allergen (Codfish)", <i>Dev. Biol. Stand.</i> 29 : 90-98, 1975.			
	*Aki, et al., "Immunochemical Characterization of Recombinant and Native Tropomyosins as a New Allergen from the House Dust Mite, <i>Dermatophagoides Farinae</i> ", <i>J. Allergy Clin. Immunol.</i> , 96 :74-83, 1995.			
	*Alenius, et al., "Prohevein from the Rubber Tree (<i>Hevea Brasiliensis</i>) is a Major Latex Allergen," <i>Clin. Exp. Allergy</i> , 25 (7): 659-665, 1995.			
	*Alenius, et al., "The Main IgE-Binding Epitope of a Major Latex Allergen, Prohevein, is Present in its N-Terminal 43-Amino Acid Fragment, Hevein" <i>J. Immunol.</i> 156 (4): 1618-1625, 1996.			
	*Alenius, et al., "IgE Reactivity to 14-kD and 27-kD Natural Rubber Proteins in Latex-Allergic Children with Spina Bifida and Other Congenital Anomalies", <i>Int. Arch. Allergy Immunol.</i> , 102 :61-66, 1993.			
↓	*Ansari, et al., "An Investigation of Human Response to Perennial Ryegrass", <i>J. Allergy Clin. Immunol.</i> 80 : 229-235, 1987.			




SEP 13 2002

TECH CENTER 1600/2900

Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PJK	*Ansari, et al., "Complete Amino Acid Sequence of a Lolium Perenne (Perennial Rye Grass) Pollen Allergen, Lol p II" <i>J. Biol. Chem.</i> , 264 :11181-11185, 1989.
	*Ansair, et al., "Complete Primary Structure of a Lolium Perenne (Perennial Rye Grass) Pollen Allergen, Lol p III: Comparison with Known Lol P I and II Sequences", <i>Biochemistry</i> , 28 :8665-8670, 1989.
	*Apold, et al., "The Allergenic Structure of Allergen M from Cod. III. Studies on the Antigenic of Long-Sequence Peptides", <i>Int Arch Allergy Appl Immunol.</i> 58 (3): 337-43, 1979.
	*Arruda, et al., "Molecular Cloning of a Major Cockroach (Blattella Germanica) Allergen, Bla g 2", <i>J. Biol. Chem.</i> , 270 :19563-19568, 1995.
	*Arruda, et al., "Cloning of Cockroach Allergen, Bla g 4, Identifies Ligand Binding Proteins (or Calycins) as a Cause of IgE Antibody Responses" <i>J. Biol. Chem.</i> 270 : 31196-31201, 1995.
	*Arruda, et al., "Molecular Cloning of German Cockroach (Blattella Germanica) Allergens", <i>Int. Arch Allergy Immunol.</i> , 107 :295-297, 1995.
	*Asturias, et al., "Cloning and High Level Expression of Cynodon Dactylon (Bermuda Grass) Pollen Profilin (Cyn d 12) in Escherichia Coli: Purification and Characterization of the Allergen" <i>Clin. Exp. Allergy</i> , 27 :1307-1313, 1997.
	*Asturias, et al., "Cloning and Expression of the Panallergen Profilin and the Major Allergen (Ole e 1) from Olive Tree Pollen", <i>J. Allergy Clin Immunol</i> 100 :365-372, 1997.
	*Attanayaka, et al., "Molecular Cloning and Nucleotide Sequencing of the Rubber Elongation Factor Gene from Hevea Brasilienis", <i>Plant Mol. Biol.</i> , 16 :1079-1081, 1991.
	*Aukrust, L., "Purification of Allergens in Cladosporium Herbarum", <i>Allergy</i> , 35 : 206-207, 1980.
	*Aukrust, et al., "Partial Purification and Characterization of Two Cladosporium Herbarum Allergens", <i>Int Arch Allergy Appl Immunol.</i> , 60 :68-79, 1979.
	*Avjioglu, et al., "Sequence Analysis of Sor H I, The Group I Allergen of Johnson Grass Pollen and Its Comparison to Rye-Grass Lol P I" <i>J. Allergy Clin. Immunol.</i> 91 :340.
	*BSAC Working Party, "Position Paper on Allergen Immunotherapy," <i>Clin. Exp. Allergy</i> , 23 : 1-44 (1993).
	*Ball, et al., "A Major Continuous Allergenic Epitope of Bovine Beta-Lactoglobulin Recognized by Human IgE Binding", <i>Clin. Exp. Allergy</i> , 24 : 758-764, 1994.
	*Bannon, et al., "Tertiary Structure and Biophysical Properties of a Major Peanut Allergen, Implications for the Production of a Hypoallergenic Protein", <i>Int. Arch Allergy Immunol.</i> 118 (2-4), 315-6, February-April, 1999.
	*Bannon, et al., "Ara h 3, A Peanut Allergen Identified by Using Peanut Sensitive Patient Sera Adsorbed with Soy Proteins" Abstract.
✓	*Barnett, et al., "Multiplicity of Allergens in Peanuts," <i>J. Allergy Clin. Immunol.</i> , 72 : 61-8, 1983.
✓	*Barnett, et al., "Partial Characterization of an Allergenic Glycoproteins from Peanut", <i>Biochimica et Biophysica Acta</i> 882 : 97-105, 1986.

7/22/03

COPY OF PAPERS
ORIGINALLY FILED



SEP 13 2002

TECH CENTER 1600/2900

Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PNA	*Batanero, et al., "Ole e 3, an Olive-Tree Allergen, Belongs to a Widespread Family of Pollen Proteins" <i>Eur. J. Biochem.</i> , 241 :772-778, 1996.
	*Bauer, et al., "Modulation of the Allergic Immune Response in BALB/c Mice by Subcutaneous Injection of High Doses of the Dominant T Cell Epitope from the Major Birch Pollen Allergen Bet v 1", <i>Clin Exp Immunol</i> , 107(3) : 536-41, March. 1997.
	*Bayard, et al., "Mapping of IgE Binding Regions in the Major Rat Urinary Protein, Alpha 2u-Globulin, Using Overlapping Peptides", <i>Immunol. Invest</i> , 28(5-6) : 323-38, September-December, 1999.
	*Bernhisel-Broadbent, et al., "Cross-Allergenicity in the Legume Botanical Family in Children with Food Hypersensitivity. II. Laboratory correlates" <i>J Allergy Clin. Immunol.</i> , 84 : 701-709 (1989).
	*Bevier, "Flea Allergy Dermatitis Testing Breakthrough", <i>Canine Practice</i> , 22(2-3) : 49-50, 1997.
	*Birkner, et al., "Evaluation of Immunotherapy-Induced Changes in Specific IgE, IgG, and IgG-subclasses in Birch Pollen-Allergic Patient by Means of Immunoblotting, Correlation with Clinical Response," <i>Allergy</i> , 45 : 418-426.
	*Bock, "Natural History of Severe Reactions to Foods in Young Children," <i>J. Pediatr.</i> 107 : 676-680, 1985.
	*Bock, "The Natural History of Peanut Allergy", <i>J. Allergy Clin. Immunol.</i> , 83 : 900-904 (1989).
	*Botros, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Significant Inhibitory Activity Towards Specific Human IgE and IgG Antibodies", <i>Immunology</i> , 88 : 340-47, 1996.
	*Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," <i>Am J. Respir Crit Care Med.</i> , 155 : 1835-1840, 1997.
	*Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response Induced by Dendritic Cells and Collagen Type 1", <i>J. Allergy Clin. Immunol.</i> 104(5) : 1052-58, November, 1999.
	*Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificity Bet v 1 Peptide/MHC II Complexes", <i>Adv Exp Med Biol.</i> 409 :365-74, 1996.
	*Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Pollen, Show Different IgE-Binding Properties", <i>Europ. J. Biochem.</i> 212 :355-362, 1993.
	*Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g I, the Major Allergen in Pollen of alder (<i>Alnus glutinosa</i>)," <i>J. Allergy Clin. Immunol.</i> , 90 : 909-917 (1992).
	*Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneous Injection of Peptides From the Major Cat Allergen Fel D I", <i>Proc. Natl Acad Sci USA</i> , 90(16) : 7608-12, August 15, 1993.
↓	*Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", <i>Eur J. Biochem.</i> , 253 :202-211, 1998.

[Handwritten signature]

7/22/03

COPY OF PAPERS
ORIGINALLY FILED

Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PJK	*Burks, et al., "Allergicity of Peanut and Soybean Extracts Altered by Chemical or Thermal Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", <i>J. Allergy Clin Immunol.</i> 90(6 pt 1) : 889-97, 1992.
	*Burks, et al., "Anaphylactic Reactions Following Gammaglobulin Administration in Patients with Hypgammaglobulinemia: Detection of IgE antibodies to IgA," <i>N. Eng. J. Med.</i> 314 : 560-4, 1986
	*Burks, et al., "Antibody Response to Milk Proteins in Patients with Milk-Protein Intolerance Documented by Challenge," <i>J. Allergy Clin. Immunol.</i> 85 : 921-7, 1990.
	*Burks, et al., "Atopic Dermatitis: Clinical Relevance of Food Hypersensitivity Reactions", <i>J. Pediatr.</i> 113 : 447-451, 1988.
	<u>Cloning of the Ara H II Peanut Allergen by Polymerase Chain Reaction (PCR) Amplification</u> , Abstract.
	<u>*Burks, et al., "The Identification of A Family of Vicilin-Like Genes Encoding Allergens Responsible for Peanut Hyper-Sensitivity", Abstract.</u>
	*Burks, et al., Epitope Specificity and Immunoaffinity Purification of the Major Peanut Allergen, Ara h I, ", <i>J. Allergy Clin Immunol.</i> 93(4) : 743-50 (1994)
	*Burks, et al., "Identification and Characterization of a Second Major Peanut Allergen, Ara h II, with Use of the Sera of Patients with Atopic Dermatitis and Positive Peanut Challenge," <i>J Allergy Clin Immunol.</i> 90(6 pt 1) :962-9 (1992).
	*Burks, et al., "Identification of a Second Major Peanut Allergen in Patients with Atopic Dermatitis and Peanut Hypersensitivity," <i>J. Allergy Clin. Immunol.</i> 87 :211, 1991.
	*Burks, et al., "Identification of Peanut Agglutinin and Soybean Trypsin Inhibitor as Minor Legume Allergens," <i>Int Arch Allergy Immunol.</i> 105(2) : 143-9, 1994.
	*Burks, et al., "Identification of a Major Peanut Allergen Ara h I, in Patients with Atopic Dermatitis and Positive Peanut Challenge," <i>J. Allergy Clin. Immunol.</i> 88 , 172-179, 1991.
	*Burks, et al., "Isolation, Identification, and Characterization of Clones Encoding Antigens Responsible for Peanut Hypersensitivity", <i>Int. Arch. Allergy Immunol.</i> 107(1-3) : 248-50, May-June, 1995.
	*Burks, et al., "Mapping and Mutational Analysis of the IgE-Binding Epitopes on Ara h I, a Legume Vicilin Protein and a Major Allergen in Peanut Hypersensitivity", <i>Eur J. Biochem.</i> 245(2) : 334-9, April, 1997.
	*Burks, et al., "Modification of a Major Peanut Allergen Leads to Loss of IgE Binding", <i>Int. Arch Allergy Immunol.</i> 118(2-4) , 313-4, February-April, 1999.
	*Burks, et al., "Peanut Allergens", <i>Allergy</i> , 53(8) : 725-30, August, 1998.
	*Burks, et al., "Production of Murine Monoclonal (mAb) Antibodies to Ara H1, A 63.5 kD Allergen in Peanuts, <i>J. Allergy Clin. Immunol.</i> 87 : 210, 1991.
	*Burks, et al., "Recombinant Peanut Allergen Ara h I Expression and IgE Binding in Patients with Peanut Hypersensitivity", <i>J. Clin. Invest.</i> 96(4) : 1715-21, October, 1996.
	*Burks, et al., "Cloning, Epitope Mapping and Mutational Analysis of Ara H 2, A Major Peanut Allergen", Abstract.
✓	*Butch, et al., "Properties of Human Follicular Dendritic Cells Purified with HJ2, a New Monoclonal Antibody", <i>Cellular Immunology</i> , 155 , 27-41 (1994).

PJK

7/24/03

COPY OF PAPERS
ORIGINALLY FILED


SEP 13 2002

Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PJH	*Cardaba, et al., "Antibody Response to Olive Pollen Antigens: Association Between HLA Class II Genes and IgE Response to Ole e I" <i>J. Allergy Clin. Immunol.</i> 91 :338, 1993.
	*Chaloin, et al., "Conformations of Primary Amphipathic Carrier Peptides in Membrane Mimicking Environments", <i>Biochemistry</i> , 36 : 11179-11187, 1997.
	*Chapman, et al., "Purification of Allergens," <i>Curr. Opin. Immunol.</i> , 1 : 647-53, 1989.
	*Chen, et al., "Allergenic and Antigenic Determinants of Latex Allergen Hev B 1: Peptide Mapping of Epitopes Recognized by Human, Murine and Rabbit Antibodies", <i>Clin Exp Allergy</i> , 26 (4): 406-15, April 1996.
	*Chen, et al., "Isolation and Identification of Hevein as a Major IgE-Binding Polypeptide in Hevea Latex," <i>J. Allergy Clin. Immunol.</i> 99 (3): 402-409, 1997.
	*Cheng, et al., "House Dust Mite-Induced Sensitivity in Mice", <i>Journal of Allergy and Clinical Immunology</i> , 101 (1): 51-59, 1998.
	*Cheng, et al., "House-Dust Mite (HDM) Induced Hypersensitivity in Mice", <i>Faseb Journal</i> , 5 (4): 801, 1995.
	*Cheng, et al., "House-Dust Mite (HDM) Induced Hypersensitivity in Mice", <i>Journal of Allergy and Clinical Immunology</i> , 95 (1): 380, 1995.
	*Christie, et al., "N-Terminal Amino Acid Sequence Identity Between a Major Allergen of <i>Ascaris Lumbricoides</i> and <i>Ascaris Suum</i> , and MHC-Restricted IgE Responses to it", <i>Immunology</i> , 69 :596-602, 1990.
	*Chua, et al., "Sequence Analysis of cDNA Coding for A Major House Dust Mite Allergen" <i>J. Exp. Med.</i> 167 :175-182, 1988.
	*Chua, et al., "Isolation of cDNA Coding for the Major Mite Allergen Der p II by IgE Plaque Immunoassay", <i>Int. Arch. Allergy Appl. Immunol.</i> 91 :118-123, 1990.
	*Clarke, et al., "Structure of Mouse Major Urinary Protein Genes: Different Splicing Configurations in the 3' - Non-Coding Region", <i>EMBO J.</i> , 3 :1045-1052, 1984.
	*Cockrell, et al., "Monoclonal Antibody Enzyme-Linked Immunosorbent Assay (ELISA) for Ara H 1. A Major Peanut Allergen," <i>J. Allergy Clin. Immunol.</i> , 89 :Abstract 613, 1992.
	*Colman, "Production of Proteins in the Milk of Transgenic Livestock: Problems, Solutions, and successes," <i>Am J. Clin. Nutr.</i> 63 (4): 639S-6455S, 1996.
	*Colman, A. "Production of Therapeutic Proteins in the Milk of Transgenic Livestock" <i>Biochem. Soc. Symp.</i> 63 : 141-147, 1998.
	*Cooke & Sampson, "Allergenic Properties of Ovomucoid in Man," <i>J. Immunol.</i> 159 (4): 2026-32, 1997.
	*Corbi, et al., "Identification of IgE Binding Polypeptides Cross-Reactive with the Parietaria Judaica Main Allergenic Polypeptide", <i>Mol Immunol.</i> 23 (12): 1357-63, December 1986.
	*Counsell, et al., "Definition of the Human T-Cell Epitopes of Fel D 1, the Major Allergen of the Domestic Cat", <i>J Allergy Clin Immunol.</i> 98 (5 Pt 1): 884-94, November, 1996.
✓	*Cramer, et al., "Epidemiology and Molecular Basis of the Involvement of <i>Aspergillus Fumigatus</i> in Allergic Diseases", <i>Contrib Microbiol. Basel. Karger</i> , 2 : 44-56.

PJH N. Jfz

7/22/03

COPY OF PAPERS
ORIGINALLY FILED



Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Pnk	*Czisch, et al., "Conformations of Peptide Fragments Comprising the Complete Sequence of Component III of Chi t I and Their Relationship to T-Cell Stimulation", <i>Biochemistry</i> 33(32): 9420-7, August, 1994.
	*Czuppon, et al., "Allergens, IgE, Mediators, Inflammatory Mechanisms", The Rubber Elongation Factor of Rubber Trees (<i>Hevea Brasiliensis</i>) is the Major Allergen in Latex", <i>J. Allergy Clin Immunol.</i> , 92:690-697, 1993.
	*Daul, et al., "Identification of the Major Brown Shrimp (<i>Penaeus Aztecus</i>) Allergen as the Muscle Protein Tropomyosin", <i>Int Arch Allergy Immunol.</i> 105: 49-55, 1994.
	*Day, "Genetic Modification of Proteins in Food," <i>Critical Reviews in Food Science and Nutrition</i> , 36(S): S49-S67, 1996.
	*De Palma, et al., "Use of Antagonist Peptides to Inhibit in Vitro T Cell Responses to Pari j1, The M Allergen of Parietaria Judaica Pollen", <i>J. Immunol.</i> 162(4): 1982-7, February 15, 1999.
	*De Jong, et al., "Food Allergen (Peanut)-Specific TH2 Clones Generated from the Peripheral Blood of a Patient with Peanut Allergy," <i>J Allergy Clin Immunol.</i> 98(1): 73-81, 1996.
	*Demerec, et al., "A Proposal for a Uniform Nomenclature in Bacterial Genetics", <i>Genetics</i> , 54: 61-75, 1966.
	*de Groot, "Affinity Purification of a Major and a Minor Allergen from Dog Extract: Serologic Activity of Affinity-Purified Can f I and of Can f I-Depleted Extract" <i>J Allergy Clin. Immunol.</i> , 87:1056-1065, 1991.
	*Demoly, et al., "Anti-IgE Therapy for Asthma," <i>American J. Resp. Crit Care Med.</i> 155: 1825-1827, 1997.
	*Derossi, et al., "Cell Internalization of the Third Helix of the Antennapedia Homeodomain is Receptor-Independent", <i>The Journal of Biological Chemistry</i> , 271(30): 18188-18193, 1996.
	*Deuell, et al., "Trichophyton Tonsurans Allergen I, Characterization of a Protein That Causes Immediate But Not Delayed Hypersensitivity" <i>J. Immunol.</i> , 147:96-101, 1991.
	*Dilworth, et al., "Sequence Analysis of cDNA Coding for a Major House Dust Mite Allergen, Der f I" <i>Clin. Exp. Allergy</i> , 21:25-32, 1991.
	*Directions for Use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 1988).
	*Dolecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (<i>Phleum Pratense</i>) Pollen Allergen", <i>FEBS Letter.</i> , 335:299-304, 1993.
	*Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Allergen, with Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", <i>Eur J Immunol.</i> 23(7): 1523-7, July, 1993.
	*Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libraries," <i>Mol. Med. Today</i> , 1(4): 174-80, 1995.
	*Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adsorbed with Cross-Reacting Antibodies", <i>J. Allergy Clin Immunol.</i> , 98(5 pt 1):969-78, November, 1996.
✓	*Ekramoddoullah, "Allergenic Cross Reactivity of Cytochrome c From Kentucky Bluegrass and Perennial Ryegrass Pollens", <i>Moll Immunol.</i> 19: 1527-1534, 1982.

7/22/03

COPY OF PAPERS
ORIGINALLY FILED




Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PNH	*Elfman, et al., "IgE Binding Capacity of Synthetic and Recombinant Peptides of the Major Stor Mite (<i>Lepidoglyphus Destructor</i>) Allergen, Lep d 2", <i>Int Arch Allergy Immunol.</i> 117(3) : 167-73, November 1998.
	*Elsayed, et al., "A Synthetic Hexadecapeptide Derived from Allergen M Imposing Allergenic Antigenic Reactivity", <i>12(2)</i> : 171-5, 1980.
	*Elsayed, et al., "Allergenic Synthetic Peptide Corresponding to the Second Calcium-Binding of Cod Allergen M", <i>Scand J Immunol.</i> 14(2) : 207-11, August, 1981.
	*Elsayed, et al., "Antigenic and Allergenic Determinants of Ovalbumin. I. Peptide Mapping, Cleavage at the Methionyl Peptide Bonds and Enzymic Hydrolysis of Native A Carboxymethyl OA", <i>Int Arch Allergy Appl Immunol.</i> 79(1) : 101-7, 1986.
	*Elsayed, et al., "Synthetic Allergenic Epitopes from the Amino-Terminal Regions of the Major Allergens of Hazel and Birch Pollen", <i>Int Arch Allergy Appl Immunol.</i> 89 : 410-415, 1989.
	*Elsayed, et al., "Tryptic Cleavage of a Homogenous Cod Fish Allergen and Isolation of Two Ac Polypeptide Fragments" <i>Immunochemistry</i> , 9(6) : 647-61, June, 1972.
	*Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", <i>Scand J. Immunol.</i> , 3 : 683-686, 1974.
	*Elsayed, et al., "Cod Fish Allergen Structure", <i>Immunochemistry</i> , 9 :647-661, 1972.
	*Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants", <i>Mol Immunol.</i> 27(6) : 581-6, June, 1990.
	*Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipoprotein-Li cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragments Mag1 and Mag3", <i>Int Arch Allergy Immunol.</i> 120(3) : 185-91, November, 1999
	*Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I- Allergenic Determinant", <i>Mol. Immunol.</i> 26 :557-561.
	*Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," <i>DTW Dtsch Tierarzti Wochenschr.</i> 103(8-9) : 320-8, 1996.
	*Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", <i>Proc. Natl. Acad. Sci. USA</i> , 94 :10699-10704, 1997.
	*Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", <i>Journal of Allergy and Clinical Immunology</i> , 99(1) : 676, 1997.
	*Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", <i>Journal of Allergy and Clinical Immunology</i> , 101(1) : 252, 1998.
	*Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," <i>American J Respir Crit Care Med</i> , 155 : 1828-1834, 1997.
✓	*Fang, et al., "cDNA Cloning and Primary Structure of a White-Face Hornet Venom Allergen, Antigen 5", <i>Natl. Acad. Sci., USA</i> , 85 :895-899, 1988.

Phy. N. J. J.

7/22/03

COPY OF PAPERS
ORIGINALLY FILED



RECEIVED

SEP 13 2002

Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)	TECH CENTER 1600/2900
PAH	*Fasler, et al., "Antagonistic Peptides Specifically Inhibit Proliferation, Cytokine Production, CD40L Expression, and Help for IgE Synthesis by Der p 1-Specific Human T-Cell Clones", <i>J Allergy Clin Immunol.</i> 101(4 Pt 1) : 521-30, April, 1998.	
	*Fasler, et al., "Peptide-Induced Anergy in Allergen-Specific Human Th2 Cells Results in Lack Cytokine Production and B Cell Help for IgE Synthesis. Reversal IL-2, not IL-4 or IL-13", <i>J Immunol.</i> 155(9) : 4199-206, November 1, 1995.	
	*Ferreira, et al., "Modulation of IgE reactivity of allergens by Site-Directed Mutagenesis: Potential Use of Hypoallergenic Variants for Immunotherapy", <i>FASEB J</i> , 12 : 231-242 (1998)	
	*Fields, et al., "Solid Phase Peptide Synthesis Utilizing 9-Fluorenylmethoxycarbonyl Amino Acids," <i>Int J Pept Protein Res.</i> 35(3) : 161-214, 1990.	
	*Fischer, et al., "Characterization of Phl p 4, a Major Timothy Grass (Phleum Pratense) Pollen Allergen" <i>J. Allergy Clin Immunol.</i> 98 : 189-198, 1996.	
	*Fitzsimmons, et al., "Immunotherapy-Definition and Mechanism," <i>Allergy Proc.</i> , 11 : 156 (1990)	
	*Fuchs, et al., "Ingredients for Fat Replacement," <i>Food Tech.</i> 51 : 82-87, 1997.	
	*Fung-Leung, et al., Transgenic Mice Expressing the Human High-Affinity Immunoglobulin (Ig) E Receptor Alpha Chain Respond to Human IgE in Mast Cell Degranulation and in Allergic Reactions," <i>J. Exp. Med.</i> 183 : 49-56 (1996).	
	*Garcia, et al., "Nonspecific Changes in Immunotherapy with House dust extract", <i>J. Invest Allergol. Clin Immunol.</i> 5 18-24 (1995).	
	*Geluk, et al., "HLA-DR3 Molecules can Bind Peptides Carrying Two Alternative Specific Submotifs", <i>J Immunol.</i> 152(12) : 5742-8, June 15, 1994.	
	*Ghosh, et al., "Cloning and Expression of Immunologically Active Recombinant Amb a V Allergen of Short Ragweed Pollen", <i>J. Immunol.</i> , 150 : 5391-5399, 1993.	
	*Gjesing, et al., "Immunochemistry of Food Antigens", <i>Ann. Allergy</i> , 53 :602-608, 1984.	
	*Gibbs, et al., "Evolution of Legume Seed Storage Proteins - a Domain Common to Legumins and Vicilins is Duplicated in Vicilins," <i>Mol. Biol. Evol.</i> , 6 : 614-623 (1989).	
	*Gieni, et al., Allergen-Specific Modulation of Cytokines Synthesis Patterns and IgE Responses in Vivo with Chemically Modified Allergen," <i>The Journal of Immunol.</i> , 150 : 302-310 (1993).	
	*Gius, et al., "Transduced p16 ^{INK4a} Peptides Inhibit Hypophosphorylation of the Retinoblastoma Protein and Cell Cycle Progression Prior to Activation of Cdk2 Complexes in Late G ₁ " <i>Cancer Research</i> , 59 :2577-2580, 1999.	
	*Gmachl, et al., "Bee Venom Hyaluronidase is Homologous to a Membrane Protein of Mammalian Sperm", <i>Proc. Natl. Acad. Sci. USA.</i> , 90 :3569-3573, 1993.	
	*Gonzalez, et al., "Soybean Hydrophobic Protein and Soybean Hull Allergy" <i>Lancet</i> , 346 :48-49, 1995.	
	*Goodfriend, et al., "New Ragweed Pollen Allergens", <i>Fed. Proc.</i> 38 : 1415.	
↓	*Goodfriend, et al., "Ra5G, A Homologue of Ras5 In Giant Ragweed Pollen: Isolation, HLA-DR-Associated Activity and Amino Acid Sequence", <i>Mol. Immunol.</i> 22 : 899-906, 1985.	

7/24/03

COPY OF PAPERS
ORIGINALLY FILED




TECH CENTER 1600/2900

Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
FNT	*Gordon, "Future Immunotherapy: What Lies Ahead?", <i>Otolaryngol Head Neck Surg.</i> , 113 : 603-605 (1995).
	*Greene, "Characterization of Allergens of the Cat Flea, <i>Ctenocephalides Felis</i> : Detection and Frequency of IgE Antibodies in Canine Sera," <i>Parasit Immunology</i> , 15 : 69-74, 1993.
	*Greene, et al., IgE and IgG Binding of Peptides Expressed from Fragments of cDNA Encoding the Major House Dust Mite Allergen Der p I" <i>J Immunol.</i> 147 (11): 3768-73, December 1, 1997.
	*Griffith, et al., "cDNA Cloning of Cry j r, The Major Allergen of <i>Cryptomeria Japonica</i> (Japanese Cedar)" <i>J. Allergy. Clin. Immunol.</i> 91 :339, 1993.
	*Griffith, et al., "Sequence Polymorphisms of Amb a I and Amb a II, The Major Allergens in <i>Ambrosia Artemisiifolia</i> (Short Ragweed). <i>Int. Arch. Allergy Appl. Immunol.</i> 96 : 296-304, 1991.
	*Griffith, et al., "Expression and Genomic Structure of the Genes Encoding FdI, the Major Allergen from the Domestic Cat", <i>Gene</i> , 113 : 263-268, 1992.
	*Griffith, et al., "Cloning and Sequencing of Lol pI, the Major Allergenic Protein of Rye-Grass Pollen", <i>FEBS Letters</i> , 279 :210-215, 1991.
	*Gross, et al., "Isolation and Partial Characterization of the Allergen in Mountain Cedar Pollen", <i>Scand J. Immunol.</i> , 8 :437-441, 1978.
	*Guerin-Marchand, et al., "Cloning, Sequencing and Immunological Characterization of Dac g 3, A Major Allergen From <i>Dactylis Glomerata</i> Pollen", <i>Mol. Immunol.</i> 33 :797-806, 1996.
	*Habermann, E., "Bee and Wasp Venoms", <i>Science</i> , 177 :314-322, 1972.
	*Halliwell, "Aspects of the Immunopathogenesis of Flea Allergy Dermatitis in Dogs," <i>Veterinary Immunology and Immunopathology</i> , 17 : 483-494, 1987.
	*Halliwell, IgE and IgG Antibodies to Flea Antigen in Differing Dog Populations," <i>Veterinary Immunology and Immunopathology</i> , 8 : 215-223, 1985.
	*Halmeupuro, et al., "Crawfish and Lobster Allergens: Identification and Structural Similarities with Other Crustacea", <i>Int. Arch Allergy Appl. Immun.</i> 84 : 165-72, 1987.
	*Haselden, et al., "Immunoglobulin E-independent Major Histocompatibility Complex-restricted T Cell Peptide Epitope-induced Late Asthmatic Reactions" <i>J Exp Med.</i> 189 (12): 1885-94, June 21, 1999
	*Hawrylowicz, et al., "T-Cell Receptor Peptides that Inhibit the T-Cell Response to Allergen Induce Transforming Growth Factor-Beta 1 Production", <i>J Allergy Clin Immunol.</i> 97 (2): 707-9, February, 1996.
	*Hefle, et al., "Isolation of Peanut Allergens Using Monoclonal Antibodies," <i>J. Allergy and Clinical Immunology</i> , 87 : Abstract, 209, 1991.
	*Heiner, et al., "RAST Analyses of Peanut Allergens," <i>J. Allergy Clin. Immunol.</i> , 55 : 82, 1975.
	*Helm, et al., "A Major Allergen Involved in IgE Mediated Cockroach Hypersensitivity is a 90 kD Protein with Multiple IgE Binding Domains", <i>Adv Exp Med Biol.</i> 409 : 267-8, 1996.
	*Helm, et al., "Cellular and Molecular Characterization of a Major Soybean Allergen", <i>Int. Arch Allergy Immunol.</i> 117 (1), 29-37, September, 1998.
✓	*Helm, et al., "IgE-Binding of Homologous Legume Vicilins and Glycinins of Soybean and Peanut Allergens", Abstract.

John N. J...

7/22/03

COPY OF PAPERS
ORIGINALLY FILED




Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
P.H.	*Helm, et al., "Isolation and Characterization of a Clone Encoding a Major Allergen (Bla g Bd90K) Involved in IgE-Mediated Cockroach Hypersensitivity", <i>J Allergy Clin Immunol.</i> 98(1) : 172-80, July, 1996.
	*Helm, et al., "Isolation and Characterization of Clones Encoding Cockroach Allergens", <i>Int. Arch Allergy Immunol.</i> 107(1-3) : 462-3, May-June, 1995.
	*Helm, et al., "Mutational Analysis of the IgE-binding Epitopes of P34/Gly m Bd 30K", <i>J Allergy Clin. Immunol.</i> 105(2) : 378-84, January, 2000.
	*Helm, et al., "Cloning of a Portion of Ara H 3: A Peanut Allergen", Abstract.
	*Herian, et al., "Identification of Soybean Allergens by Immunoblotting with Sera from Soy-Allergic Adults," <i>Int. Arch. Allergy Appl. Immunol.</i> 92 : 193-198, 1990.
	*Hetzel, et al., "Peptide-Mediated Immunoregulation", <i>Int Arch Allergy Immunol.</i> 107 :(1-3): 275-7, May-June, 1995.
	*Higgins, et al., "Overlapping T-Cell Epitopes in the Group I Allergen of Dermatophagoides sp Restricted by HLA-DP and HLA-DR Class II Molecules", <i>J Allergy Clin Immunol.</i> 93(5) : 891-9, May, 1994.
	*Higgins, et al., "Peptide-Induced Nonresponsiveness of HLA-DP Restricted Human T Cells rea with Dermatophagoides spp", <i>J Allergy Clin Immunol.</i> 90(5) : 749-56, November, 1992.
	*Hirahara, et al., "Oral Administration of A Dominant T-Cell Determinant Peptide Inhibits Allergen-Specific TH1 and TH2 Cell Responses in Cry J 2-Primed Mice", <i>J Allergy Clin Immunol.</i> 102(6 Pt 1) : 961-7, December, 1998.
	*Ho, et al., "Comparison of the Immunogenicity of Wasp Venom Peptides With or Without Carbohydrate Moieties", <i>Toxicon.</i> 36(1) : 217-21, January, 1998.
	*Hoffman, et al., "Allergens in Hymenoptera Venom XXV: The Amino Acid Sequences of Antigen 5 Molecules and the Structural Basis of Antigenic Cross-Reactivity", <i>J. Allergy Clin. Immunol.</i> , 92 :707-716, 1993.
	*Hoffman, et al., "Allergens in Hymenoptera Venom XXIV: The Amino Acid Sequences of Imported Fire Ant Venom Allergens Sol i II, Sol i III, and Sol i IV" <i>J. Allergy Clin. Immunol.</i> , 91 :71-78, 1993.
	*Hoffman, D.R., "Immunochemical Identification of the Allergens in Egg White", <i>J. Allergy Clin. Immunol.</i> 71 :481-486, 1983.
	*Hong, et al., "Pepsin-Digested Peanut Contains T-Cell Epitopes But no IgE Epitopes", <i>J. Allergy Clin. Immunol.</i> 104 : 473-7, 1999.
	*Horner, et al., "Identification of the Allergen Psi c 2 from the Basidiomycete Psilocybe Cubensis as a Fungal Cyclophilin", <i>Int. Arch. Allergy Immunol.</i> , 107 :298-300, 1995.
	*Hoyne, et al., "Inhibition of T-Cell Responses by Feeding Peptides Containing Major and Cryp Epitopes: Studies with the Der p I Allergen", <i>Immunology</i> 83(2) : 190-5, October, 1994.
	*Hoyne, et al., "Peptide Modulation of Allergen-Specific Immune Responses", <i>Curr Opin Immunol.</i> 7(6) : 757-61, December, 1995.
✓	*Hsu, et al., "Inhibition of Specific IgE Response in Vivo by Allergen-Gene Transfer," <i>Int. Immunol.</i> 8 :1405-1411, 1996.

[Handwritten signature]

7/22/03

COPY OF PAPERS
ORIGINALLY FILED




Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PNH	*Jacobson, et al., "Characterization of Bumblebee Venom Allergens" <i>J. Allergy Clin. Immunol.</i> 91 :187, 1993.
I	*Jacobson, et al., "The Cross-Reactivity Between Bee and Vespid Hyaluronidases has a Structural Basis" <i>J. Allergy Clin. Immunol.</i> , 89 :292, 1992.
	*James, et al., "Wheat α -Amylase Inhibitor: A Second Route of Allergic Sensitization", <i>J Allergy Clin Immunol.</i> 99 (2): February, 1997.
	*James, et al., "Serum IgE Antibodies From Wheat-Allergic Patients Bind A 50 kD Wheat Protein", Abstract.
	*Jameson, et al., "The Antigenic Index: A Novel Algorithm for Predicting Antigenic Determinants," <i>Comput. Appl. Bioscil</i> , 4 : 181-186 (1988).
	*Jansen, et al., "Prevalance of Food Allergy and Intolerance in the Adult Dutch Population," <i>J. Allergy Clin. Immunol.</i> , 93 : 446-456 (1994).
	*Janssen, et al., "Modulation of Th2 Responses by Peptide Analogues in a Murine Model of All Asthma: Amelioration or Deterioration of the Disease Process Depends on the Th1 or Th2 Skewing Characteristics of the Therapeutic Peptide", <i>J Immunol.</i>
	*Jarman, et al., "Inhibition of Human T-Cell Responses to House Dust Mite Allergens by a T-Cell Receptor Peptide", <i>J Allergy Clin Immunol.</i> 94 (5): 844-52, November 1994.
	*Jeannin, et al., "Immunogenicity and Antigenicity of Synthetic Peptides Derived from the Mite Allergen Der p I", <i>Mol Immunol.</i> 30 (16): 1511-8, November 1993.
	*Jeannin, et al., "Specific Histamine Release Capacity of Peptides Selected from the Modelized Der p I Protein, a Major Allergen of <i>Dermatophagoides Pteronyssinus</i> ", <i>Mol Immunol.</i> 29 (6): 739-49, June, 1992.
	*Jensen-Jarolim, et al., "Allergen Mimotopes in Food Enhance Type I Allergic Reactions in Mice", <i>The FASEB Journal</i> , 13 : 1586-92, September, 1999.
	*Jensen-Jarolim, et al., "Nonapeptides Selected by Phage Display Mimic The Binding Sites of Monoclonal Antibodies BIP1 and BIP4 on Bet v 1, The Major Birch Pollen Allergen", <i>Int Arch Allergy Immunol.</i> 118 (2-4): 224-5, February-April, 1999.
	*Jensen-Jarolim, et al., "Peptide Mimitopes Displayed by Phage Inhibit Antibody Binding to Bet v 1, the Major Birch Pollen Allergen, and Induce Specific IgG Response in Mice", <i>FASEB J.</i> 12 (15): 1635-42, December, 1998.
	*Jimenez, et al., "Sensitization to Sunflower Pollen: Only an Occupational Allergy? <i>Int. Arch Allergy Immunol.</i> 105 :297-307, 1994
	*Jusko, "Corticosteroid Pharmacodynamics: Models for Broad Array of Receptor-mediate Pharmacologic Effects," <i>Clin. Pharmacol</i> , 30 : 303-10, 1990.
	*Kaminogawa, "Food Allergy, Oral Tolerance and Immunomodulation--Their Molecular and Cellular Mechanisms," <i>Biosci. Biotech, Biochem.</i> 60 : 1749-1756, 1996.
	*Kammerer, et al/. "Modulation of T-Cell Response to Phospholipase A2 and Phospholipase A2-Derived Peptides by Conventional Bee Venom Immunotherapy", <i>J Allergy Clin Immunol.</i> 100 (1): 96-103, July, 1997.
↓	*Kapitany, et al., "A High Resolution PAS Stain for Polyacrylamide Gel Electrophoresis," <i>Anal. Biochem.</i> , 56 : 361-9, 1973.

PNH

7/22/03

COPY OF PAPERS
ORIGINALLY FILED



Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PNA	*Keating, et al. "Immunoassay of Peanut Allergens in Food-Processing Materials and Finished Foods," <i>J. Allergy Clin. Immunol.</i> 86 : 41-44, 1990.
	*Kettner, et al., "IgE and T-Cell Responses to High-Molecular Weight Allergens from Bee Venom", <i>Clin. Exp. Allergy</i> , 29(3) : 394-401, March, 1999.
	*Kieliszewski, et al. "Potato Lectin: A Modular Protein Sharing Sequence Similarities with the Extensin Family, the Hevea Lectin Family, and Snake Venom Disintegrins (Platelet Aggregation Inhibitors)," <i>Plant J.</i> 5(6) : 849-861, 1994.
	*Kim, et al., "Suppressive Vaccination at Allergen-Induced Immunoglobulin E Production by the Naked DNA Vaccine", <i>Journal of Investigative Medicine</i> , 46(3) : A243, 1998.
	*Kim, et al., "Suppressive Vaccination of Allergen-Induced Immunoglobulin E Production by the Naked DNA Vaccine" <i>Faseb Journal</i> , 12(5) : 6148, 1998.
	*King, et al., "Isolation and Characterization of Allergen from Ragweed Pollen" <i>Biochemistry</i> , 3 : 458-468, 1964.
	*King, et al., "Modulation of the Allergenicity of a Major Peanut Allergen, Ara h 2 by Mutagenesis of Its Immunodominant IgE Binding Epitopes", Abstract.
	*King, et al., "The Isolation and Characterization of a Novel Collagenolytic Serine Protease Allergen (Der p 9) from the Dust Mite Dermatophagoides Pteronyssinus", <i>J. Allergy Clin Immunol.</i> , 98 :739-747, 1996.
	*King, et al., "Structural Studies of a Hornet Venom Allergen Antigen 5, Dol m V and its Sequence Similarity with Other Proteins" <i>Prot. Seq. Data Anal.</i> , 3 :263-266, 1990.
	*King, et al., "Yellow Jacket Venom Allergens, Hyaluronidase and Phospholipase: Sequence Similarity and Antigenic Cross-Reactivity with Their Hornet and Wasp Homologs and Possible Implications for Clinical Allergy" <i>Allergy Clin. Immunol.</i> , 98 :588-600, 1996.
	*Klapper, et al., "Amino Acid Sequence of Ragweed Allergen Ra3", <i>Biochemistry</i> , 19 : 5729-5734, 1980.
	*Klysner, et al., "Group V Allergens in Grass Pollens: IV. Similarities in Amino Acid Compositions and NH ₂ Terminal Sequences of the Group V Allergens from Lolium Perenne, Poa Pratensis and Dactylis Glomerata", <i>Clin. Exp. Allergy</i> , 22 :491-497, 1992.
	*Kohler, et al., "Continuous Cultures of Fused Cells Secreting Antibody of Predefined Specificity," <i>Nature</i> , 256 : 495-497, 1975.
	*Kopper, et al., "Rapid Isolation of Peanut Allergens and Their Physical Chemical and Biological Characterization", Abstract.
	*Kricek, et al., "IgE-Related Peptide Mimotopes, Basic Structures for Anti-Allergy Vaccine Development", <i>Int Arch Allergy Immunol.</i> 118 (2-4) : 222-3, February-April, 1999.
	*Krieg, et al., "CpG Motifs in Bacterial DNA Trigger Direct B-Cell Activation," <i>Nature</i> , 374(6522) : 546-9, 1995.
↓	*Kuchler, et al., "Analysis of the cDNA for Phospholipase A ₂ from Honeybee Venom Glands; The Deduced Amino Acid Sequence Reveals Homology to the Corresponding Vertebrate Enzymes", <i>Eur. J. Biochem.</i> , 184 :249-254, 1989.

John W. Z...

7/22/03

COPY OF PAPERS
ORIGINALLY FILED



Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PNH	*Kumar, et al., "Isolation and Characterization of a Recombinant Heat Shock Protein of <i>Aspergillus Fumigatus</i> ", <i>J. Allergy Clin. Immunol.</i> , 91 :1024-1030, 1993.
	*Kurup, et al., "Immunodominant Peptide Epitopes of Allergen, Asp F 1 from the Fungus <i>Aspergillus Fumigatus</i> ", <i>Peptides</i> , 19(9) : 1469-77, 1998.
	*Kwon, et al., "Immunoprotective Effect of Vaccination with DNA Encoding T Cell Epitopes on the Der p Induced IgE Production" <i>Journal of Allergy and Clinical Immunology</i> , 103 : 418, 1999.
	*Kwon, et al., "The Effect of the Intradermal Vaccination with DNA Encoding the T-Cell Receptor on the Induction of Experimental Autoimmune Encephalomyelitis in Mice", <i>Journal of Allergy and Clinical Immunology</i> , 103 : 76, 1999.
	*Lacroix, et al., "Attenuation of Allergen-Evoked Nasal Responses by Local Pretreatment with Exogenous Neuropeptide Y in Atopic Patients", <i>J Allergy Clin Immunol.</i> 98(3) :611-6, September, 1996.
	*Laemmli, "Cleavage of Structural Proteins During the Assembly of the Head of Bacteriophage T4", <i>Nature</i> , 227 : 680-5, 1970.
	*Lake, et al., "House Dust Mite-Derived Amylase: Allergenicity and Physicochemical Characterization", <i>J. Allergy Clin. Immunol.</i> 87 :1035-1042, 1991.
	*Langeland, T., "A Clinical and Immunological Study of Allergy to Hen's Egg White", <i>Allergy</i> , 38 :493-500, 1983.
	*Laperche, et al., "Tissue-Specific Control of α_{2u} Globulin Gene Expression: Constitutive Synthesis in the Submaxillary Gland" <i>Cell</i> , 32 :453-460, 1983.
	*Larsen, et al., "PCR Based Cloning and Sequencing of Isogenes Encoding the Tree Pollen Major Allergen <i>Car b</i> I from <i>Carpinus Betulus</i> , Hornbeam", <i>Mol. Immunol.</i> 29 : 703-711, 1992.
	*Lehrer, et al., "Reactivity of IgE Antibodies with Crustacea and Oyster Allergens: Evidence for Common Antigenic Structures", <i>J Allergy Clin. Immunol.</i> 80(2) : 133-39, August, 1987,
	*Lemanske & Taylor, "Standardized Extracts, Foods," <i>Clin. Rev. Allergy</i> , 5 : 23-26, 1987.
	*Leung, et al., "Identification and Molecular Characterization of <i>Charybdis Feriatus</i> Tropomyosin, The Major Crab Allergen", <i>J. Allergy Clin Immunol.</i> 847-852, November, 1998.
	*Leung, et al., "IgE Reactivity Against a Cross-Reactive Allergen in Crustacea and Mollusca: Evidence for Tropomyosin as the Common Allergen", <i>J. Allergy Clin Immunol.</i> 98(5) , 954-961, November, 1996.
	*Liebers, et al., "Epitope Mapping with Peptides of Chi t I Component III and Immunomodula of the Chi t Immune Response", <i>J Allergy Clin Immunol.</i> 92(2) : 334-9, August, 1993.
	*Lind, et al., "The Binding of Mouse Hybridoma and Human IgE Antibodies to the Major Fecal Allergen, Der p I, of <i>Dermatophagoides Pteronyssinus</i> , Relative Binding Site Location and Species Specificity Studied by Solid-Phase Inhibition Assays with Radiolabeled Antigen", <i>J. Immunol.</i> , 140 :4256-4262, 1988.
↓	*Ling, et al., "Construction and Characterization of Human IgE Fab Fragments Specific to Peanut Allergens", Abstract.

Phy. D. J. J.

2/22/03

COPY OF PAPERS
ORIGINALLY FILED




Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PNH	*Litwin, et al., "Regulation of the Human Immune Response to Ragweed Pollen by Immunotherapy. A Controlled Trial Comparing the Effect of Immunosuppressive Peptic Fragments of Short Ragweed with Standard Treatment", <i>Clin Exp. Allergy</i> . 21(4) : 457-65, July, 1991.
	*Litwin, et al., "Regulation of the Immune Response to Allergens by Immunosuppressive Allergenic Fragments, Peptic Framents of Honey Bee Venom Phospholipase", <i>Int Arch Allergy Appl Immunol</i> . 87(4) : 361-6, 1988.
	*Lopata, et al., "Characteristics of Hypersensitivity Reactions and Identification of a Unique 49 kd IgE-Binding Protein (Hal-m-1) in Abalone (<i>Haliotis Midiae</i>)" <i>J. Allergy Clin. Immunol.</i> , 1997,
	*Lowenstein, H., "Timothy Pollen Allergens" <i>Allergy</i> : 35 : 188-191, 1980.
	*Lu, et al., "Sequence Analysis and Antigenic Cross-Reactivity of a Venom Allergen, Antigen 5, From Hornets, Wasps, and Yellow Jackets" <i>The Journal of Immunology</i> , 150 :2823-2830, 1993.
	*Maguire, et al., "The Safety and Efficacy of ALLERVAX CAT in Cat Allergic Patients" <i>Clin Immunol</i> . 93(3) : 222-31, December, 1999.
	*Maleki, et al., "T-Cell Responses in Food Allergy: Identification of T-Cell Epitopes on a Major Peanut Allergen", Abstract.
	*Marcotte, et al., "Effects of Peptide Therapy on Ex Vivo T-Cell Responses", <i>J Allergy Clin Immunol</i> . 101(4 Pt 1) : 506-13, April, 1998.
	*Marsh, et al., "Allergen Nomenclature", <i>Bull WHO</i> 64 : 767-770, 1986.
	*Mathison, et al., "A Peptide from the Submandibular Glands Modulates Inflammatory Responses", <i>Int Arch Allergy Immunol</i> . 113 (1-3) : 337-8, May-July, 1997.
	*Matthiesen, et al., "Group V Allergens in Grass Pollens. I. Purification and Characterization of the Group V Allergen from Phleum Pratense Pollen, Phl p V" <i>Clin. Exp. Allergy</i>, 21:297-307.
	*Matsuoka, et al., "Altered TCR Ligands Affect Antigen-Presenting Cell Responses: Up-Regulation IL-12 by an Analogue Peptide", <i>J Immunol</i> . 157(11) : 4837-43, December, 1996.
	*McKeon, "IgG and IgE Antibodies Against Antigens of the Cat Flea, <i>Ctenocephalides Felis</i> Felis in Sera of Allergic and Non-Allergic Dogs," <i>Int. J. Parasitology</i> , 24(2) : 259-263, 1994.
	*Mecheri, et al., "Purification and Characterization of a Major Allergen from <i>Dactylis Glomerata</i> Pollen: The Ag Dgl", <i>Int. Arch Allergy Appl. Immunol</i> , 78:283-289
	*Mena, et al., "A Major Barley Allergen Associated with Baker's Asthma Disease is a Glycosylated Monomeric Inhibitor o f Insect α -Amylase: cDNA Cloning and Chromosomal Location of the Gene", <i>Plant Molec. Biol</i> . 20 :451-458, 1992.
	*Menedez-Arias, et al., "Primary Structure of the Major Allergen of Yellow Mustard (<i>Sinapis alba</i> L.) Seed, Sin α I" <i>Eur. J. Biochem.</i> , 177 :159-166, 1988.
	*Metcalf, "Food Allergens," <i>Clin Rev Allergy</i> , 3 :331-49, 1985.
↓	*Metzler, et al., "Determination of the Three-Dimensional Solution Structure of Ragweed Allergen Amb t V by Nuclear Magnetic Resonance Spectroscopy". <i>Biochemistry</i> , 31 : 5117-5127, 1992.

[Handwritten signature]

[Handwritten initials]

COPY OF PAPERS
ORIGINALLY FILED



Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Fok	*Metzler, et al., "Proton Resonance Assignments and Three-Dimensional Solution Structure of the Ragweed Allergen Amb a V by Nuclear Magnetic Resonance Spectroscopy" <i>Biochemistry</i> , 31 : 8697-8705, 1992.
	*Miller, et al., "Allergy to Bovine Beta-Lactoglobulin: Specificity of Immunoglobulin E Gener in the Brown Norway Rat to Tryptic and Synthetic Peptides", <i>Clin. Exp. Allergy</i> , 29(12) : 1696-704, December, 1999.
	*Miyazawa, et al., "Identification of the First Major Allergen of a Squid (Todarodes Pacificus)", <i>J. Allergy Clin. Immunol.</i> , 98 :948-953, 1996.
	*Mohapatra, SS, "Modulation of Allergen-Specific Antibody Responses by T-Cell-Based Peptide Vaccine(s). Principles and Potential", <i>Clin Rev Allergy</i> . 12(1) : 3-22, Spring, 1994.
	*Moneret-Vautrin, "Modifications of Allergenicity Linked to Food Technologies," <i>Allerg Immunol</i> , 30(1) : 9-13, 1998.
	*Monsalve, et al., "Characterization of a New Oriental-Mustard (Brassica Juncea) Allergen, Bra j IE: Detection of an Allergenic Epitope" <i>Biochem. J.</i> , 293 :625-632, 1993.
	*Morgenstern, et al., "Amino Acid Sequence of Fel d I, the Major Allergen of the Domestic Cat: Protein Sequence Analysis and cDNA Cloning" <i>Proc. Natl. Acad. Sci. USA</i> , 88 : 9690-9694, 1991.
	*Muckerheide, et al., "Immunosuppressive Properties of a Peptic Fragment of BSA", <i>The Journal of Immunology</i> , 119(4) : 1340-45, October, 1977.
	*Muckerheide, et al., "Kinetics of Immunosuppression Induced by Peptic Fragments of Bovine Serum Albumin", <i>Cellular Immunology</i> , 50 , 340-47, 1980.
	*Muller, et al., "Successful Immunotherapy with T-Cell Epitope Peptides of Bee Venom Phospholipase A2 Induces Specific T-Cell Anergy in Patients Allergic to Bee Venom" <i>J Allergy Clin Immunol</i> . 101(6 Pt 1) : 747-54, June, 1998.
	*Nagahara, et al., "Transduction of Full-Length TAT Fusion Proteins into Mammalian Cells: TAT-p27 ^{Kip1} Induces Cell Migration", <i>Nature Medicine</i> , 4(12) : 1449-1452, 1998.
	*Nair, Smita et al., Soluble Proteins Delivered to Dendritic Cells Via pH-sensitive Liposomes Induce Primary Cytotoxic T Lymphocyte Responses In Vitro", <i>J. Exp. Med.</i> , 175 February 1992 609-612.
	*Nelson, et al., "Treatment of Anaphylactic Sensivity to Peanuts by Immunotherapy with Injections of Aqueous Peanut Extract," <i>J. Allergy Clin. Immunol.</i> 99 : 744-751, 1997.
	*Nilsen, et al., "Structural Analysis of the Glycoprotein Allergen Art v from the Pollen of Mugwort (<i>Artemisia Vulgaris</i> L.)" <i>J. Biol. Chem.</i> 266 : 2660-2668.
	*Nicodemus, et al., "Integrated Clinical Experience with Tolerogenic Peptides", <i>Int Arch Allergy Immunol.</i> 113:(1-3) : 326-8, May-July, 1997.
	*Nishiyama, et al., "Determination of Three Disulfide Bonds in a Major House Dust Mite Allergen, Der f II", <i>Int. Arch. Allergy Immunol.</i> , 101 :159-166, 1993.
	*Noon, "Prophylactic Inoculation Against Hay Fever," <i>Lancet</i> , 1 : 1572-73, 1911.
✓	*Nordlee, et al., "Allergenicity of Various Peanut Products as Determined by RAST Inhibition," <i>J. Allergy Clin. Immunol.</i> 68 : 376-82, 1981.


[Signature]

7/22/03 COPY OF PAPERS
ORIGINALLY FILED

Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PJK	*Norman, et al., "Clinical and Immunologic Effects of Component Peptides in Allervax Cat", <i>Int Arch Allergy Immunol.</i> 113(1-3) : 224-6, May-July, 1997.
	*Norman, et al., "Multicenter Study of Several Doses of ALLER-VAX® Cat Peptides in the Treatment of Cat Allergy," <i>Journal of Allergy and Clinical Immunology</i> , 99 : S127, 1997.
	*Norman, et al., "Treatment of Cat Allergy with T-Cell Reactive Peptides" <i>Am J Respir Crit Care Med.</i> 154(6 Pt 1) : 1623-8, December, 1996.
	*Obispo, et al., "The Main Allergen of Olea Europaea (Ole e I) is Also Present in other Species of the Oleaceae Family", <i>Clin. Exp. Allergy</i> , 23 :311-316, 1993.
	*O'Brien, et al., "An Immunogenetic Analysis of T-Cell Reactive Regions on the Major Allergen from the House Dust Mite, Der p I, with Recombinant Truncated Fragments", <i>J Allergy Clin Immunol.</i> 93(3) : 628-34, March, 1994.
	*O'Farrell, "High Resolution Two-Dimensional Electrophoresis of Proteins," <i>J. Biol. Chem.</i> 250 : 4007-21, 1975.
	*O'Hehir, et al., "House Dust Mite Allergy: From T-Cell Epitopes to Immunotherapy", <i>Eur J Clin Invest.</i> 23(12) : 763-72, December 1993.
	*O'Hehir, et al., "An In Vitro Model of Peptide-Mediated Immunomodulation of the Human T c Response to Dermatophagoides spp (House Dust Mite)" <i>J Allergy Clin Immunol.</i> 87(6) : 1120-7, June, 1991.
	*Okano, et al., "Population Analysis of Cellular Responses to Synthetic Peptides of Der p II, a Major Allergen Molecule of Dermatophagoides Pteronyssinus, in Allergic and Nonallergic Subjects", <i>Allergy.</i> 49(6) : 436-41, July, 1994.
	*Olsen, et al., "Identification and Characterization of the Poa p IX Group of Basic Allergens of Kentucky Bluegrass Pollen", <i>J. Immunol.</i> 147 : 205-211.
	*O'Neil, et al., "Cloning and Characterization of a Major Allergen of the House Dust Mite, Dermatophagoides Pteronyssinus, Homologous with Glutathione S-Transferase", <i>Biochimica et Biophysica Acta</i> , 1219 :521-528, 1994.
	*Oppenheimer, et al., "Treatment of Peanut Allergy with Rush Immunotherapy", <i>J Allergy Clin Immunol.</i> 90 : 256-62, 1992.
	*Park, et al., "Pediatric IgE Antibody binding to the Most Common Seafood Proteins in Korea", <i>Journal of Allergy and Clinical Immunology</i> , 101(1) : 377, 1998.
	*Pecquet, et al., "Immunoglobulin E Suppression and Cytokine Modulation in Mice Orally Tolerized to β -Lactoglobulin", <i>Immunology</i> , 96 , 278-85, 1999.
	*Pene, et al., "Immunotherapy with Fel D 1 Peptides Decreases IL-4 Release by Peripheral Blood T Cells of Patients Allergic to Cats", 102 : (4 Pt 1): 571-8, October, 1998.
	*Perez, et al., "cDNA Cloning and Immunological Characterization of the Rye Grass Allergen Lol p I" <i>J. Biol. Chem.</i> 265 :16210-16215, 1990.
✓	*Pesce, et al., "Modulation of the Immune Response to Allergens: Phospholipase A Degradation Products Suppress IgG and IgE Response in Mice", <i>Int Arch Allergy Appl Immunol</i> , 92 , 88-93, 1990.

Phy N. Zfr

7/22/03
COPY OF PAPERS
ORIGINALLY FILED




Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PJH	*Petersen, et al., "Characterization of the Allergen Group VI in Timothy Grass Pollen (Phl p6) II. c DNA Cloning of Phl p 6 and Structural Comparison to Grass Group V", <i>Arch. Allergy Immunol.</i> 108 : 55-59.
	*Phadebas Rast Radioimmunoassay Reagents for 100 or 300 Tubes, Pharmacia Diagnostics AB, Uppsala Sweden 1985, Revised January 1988.
	*Pisetsky, "Immune Activation by Bacterial DNA: A New Genetic Code," <i>Immunity</i> , 5 (4): 303-10, 1996.
	*Pollart, et al., "Identification, Quantitation, and Purification of Cockroach Allergens using Monoclonal Antibodies," <i>J. Allergy Clin. Immunol.</i> , 87 : 511-521, 1991.
	*Posch, et al., "Characterization and Identification of Latex Allergens by Two-Dimensional Electrophoresis and Protein Microsequencing," <i>J. Allergy Clin. Immunol.</i> , 99 (3): 385-395, 1997.
	*Pucheu-Haston, "Allergenic Cross-Reactivities in Flea-Reactive Canine Serum Samples," <i>AJVR</i> 57 (7): 1000-1005, 1996.
	*Rabjohn, et al., "Glycinin, A Third Major Peanut Allergen Identified by Soy-Adsorbed Serum IgE from Peanut Sensitive Individuals", Abstract.—
	*Rabjohn, et al., "Molecular Cloning and Epitope Analysis of the Peanut Allergen Ara h 3", <i>J. Clin. Invest.</i> 103 (4), 535-42, February, 1999.
	*Rabjohn, et al., "Mutational Analysis of the IgE-Binding Epitopes of the Peanut Allergen, Ara h 3: A Member of the Glycinin Family of Seed-Storage Proteins", Abstract.
	*Rafner, et al., "Cloning of Amb a I (Antigen E), the Major Allergens Family of Short Ragweed Pollen", <i>J. Biol. Chem.</i> 266 : 1229-1236, 1991.
	*RAZ, et al., "Intradermal Gene Immunization: The Possible role of DNA Uptake in the Induction of Cellular Immunity to Viruses," <i>Proc Nat Acad Sci USA</i> , 91 :9519-9523, 1994.
	*Reese, et al., "Characterization of Recombinant Shrimp Allergen Pen a 1 (Tropomyosin)", <i>Int Arch Allergy Immunol.</i> , 113 : 240-242, 1997.
	*Remy, et al., "Topical Peptides: Percutaneous Absorption of a Vasopressin Derivate, Grass Pollen, and Other Allergens by Iontophoresis in Men", <i>J Invest Dermatol.</i> 91 (6): 606, December, 1988.
	*Roberts, et al., "Nucleotide Sequence of cDNA Encoding the Group II Allergen of Cocksfoot/Orchard Grass (Dactylis Glomerata), Dac g II", <i>Allergy</i> , 48 :615-623, 1993.
	*Roebber, et al., "Immunochemical and Genetic Studies of Amb t V (Ra5G), an Ra5 Homologue from Giant Ragweed Pollen", <i>J. Immunol.</i> 134 : 3062-3069, 1985.
	*Roebber, et al., "Isolation and Characterization of Allergen Amb a VII from Short Ragweed Pollen", <i>J. Allergy Clin. Immunol.</i> 87 : 324, 1991.
	*Rogers, et al., "Potential Therapeutic Recombinant Proteins Comprised of Peptides Containing Recombined T Cell Epitopes", <i>Mol Immunol.</i> 31 (13): 955-66, September, 1994.
	*Rogers, et al., "Complete Sequence of the Allergen Amb a II: Recombinant Expression and Reactivity with T Cells from Ragweed Allergic Patients", <i>J. Immunol.</i> 147 : 2547-2552, 1991.
✓	*Rolfen, "Detection of Specific IgE Antibodies Towards Cat Flea (Ctenocephalides Felis Felis) in Patients with Suspected Cat Allergy," <i>Allergy</i> , 42 : 177-181 (1987).

Phy. J. J.

7/20/03

COPY OF PAPERS
ORIGINALLY FILED



RECEIVED
SEP 13 2002

TECH CENTER 1600/2900

Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PNH	*Rolland, et al., "Immunotherapy of Allergy: Anergy, Deletion, and Immune-Deviation", <i>Current Opinion in Immunology</i> , 10: 640-45, 1998.
	*Rooney, et al., "Antiparallel, Intramolecular Triplex DNA Stimulates Homologous Recombination in Human Cells," <i>Proc. Natl. Acad. Sci. USA</i> , 92: 2141-2144, 1995.
	*Sachs, et al., "Isolation and Partial Characterization of a Major Peanut Allergen," <i>J. Allergy Clin. Immunol.</i> 67: 27-34, 1981.
	*Sakaguchi, et al., "Identification of the Second Major Allergen of Japanese Cedar Pollen", <i>Allergy</i> , 45:309-312, 1990.
	*Sampson & McCaskill, "Food Hypersensitivity in Atopic Dermatitis: Evaluation of 113 Patients," <i>J. Pediatr.</i> 107: 669-75, 1995.
	*Sampson, "Peanut Anaphylaxis," <i>J Allergy Clin Immunol.</i> , 86: 1-3, 1990.
	*Sampson, "Role of Immediate Food Hypersensitivity in the Pathogenesis of Atopic Dematitis," <i>J. Allergy Clin. Immunol.</i> 71: 473-80, 1993.
	*Sampson, et al., "Fatal and Near-Fatal Anaphylactic Reactions to Food in Children and Adolescents", <i>The New England Journal of Medicine</i> , 327(6): 380-84, August, 1992.
	*Sampson, et al., "Food Allergy and the Role of Immunotherapy," <i>J Allergy Clin. Immun.</i> 90:151-52, 1992.
	*Sampson, et al., "Mechanisms of Food Allergy," <i>Annu. Rev. Nutr.</i> 16: 161-77, 1996.
	*Reisman, "Fifteen yeas of hymenoptera Venom Immunotherapy," <i>J. Allergy Clin Immunol.</i> , 90: 256-62 (1992).
	*Scheiner, "Recombinant Allergens: Biological, Immunological and Practical Aspects," <i>Int. Arch. Allergy Immunol.</i> , 98: 93-96 (1992).
	*Schemmer, "Efficacy of Alum-Precipitated Flea Antigen for Hyposensitization of Flea-Allergic Dogs," <i>Seminars in Veterinary Medicine and Surgery (Small Animal)</i> , 2(3): 195-198, 1987.
	*Schmidt, et al., "cDNA Analysis of the Mite Allergen Lep d 1 Identifies Two Different Isoallergens and Variants", <i>FEBS Letter</i> , 370:11-14, 1995.
	*Schmidt, et al., "The Complete cDNA Sequence and Expression of the First Major Allergenic Protein of Malassezia Furfur, Mal f 1", <i>Eur J. Biochem.</i> , 246:181-185, 1997.
	*Schmidt, et al., "Nucleotide Sequence of cDNA Encoding the Fire Ant Venom Protein Sol i II", <i>FEBS Letter</i> , 319:138-140, 1993.
	*Schwarze, et al. " In Vivo Protein Transduction: Delivery of a Biologically Active Protein into the Mouse ", <i>Science</i> , 285: 1569-1572
	*Secrist, et al., "Allergen Immunotherapy Decreases Interleuken 4 Production in CD4 + T Cells From Allergic Individuals," <i>J. Exp. Med.</i> 178 2123-2130 (1993).
	*Sehra, et al., "Role of Liposomes in Selective Proliferation of Splenic Lymphocytes" <i>Molecular and Cellular Biochemistry</i> , 183: 133-139, 1998.
	*Sen, et al., " Allergen Structure May Dictate Why Some IgE Binding Epitopes Become Immunodominant Within a Food Allergic Population ", Abstract.
✓	*Sevier, et al., "Monoclonal Antibodies in Clinical Immunology," <i>Clin. Chem.</i> 27(11): 1797-1806, 1981.

PNH

7/22/03

COPY OF PAPERS
ORIGINALLY FILED




Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
TJA	*Shanti, et al., "Identification of Tropomyosin as the Major Shrimp Allergen and Characterization of its IgE-Binding Epitopes:," <i>J. Immunol.</i> , 151 : 5354-5363, 1993.
	*Sharif, et al., "Biodegradable microparticles as a delivery system for the allergens of Dermatophagoides pteronyssinus (house dust mite): I. Preparation and characterization of microparticles", <i>International Journal of Pharmaceutics</i> , 119 (1995) 239-246.
	*Shen, et al., "Molecular Cloning of a House Dust Mite Allergen with Common Antibody Binding Specificities with Multiple Components in Mite Extracts", <i>Clin. Exp. Allergy</i> , 23 : 934-940, 1993.
	*Shen, et al., "Studies on Allergens of Aspergillus Flavus", <i>J. Allergy Clin. Immunol.</i> , 103 :S157, 1999.
	*Shen, et al., "Allergenic Components in Three Different Species of Penicillium: Crossreactivity Among Major Allergens" <i>Clin. Exp. Allergy</i> , 26 :444-451, 1996.
	*Shen, et al., "Molecular Cloning of cDNA Coding for the 68 kDa Allergen of Penicillium Notatum Using MoAbs", <i>Clin Exp. Allergy</i> , 25 :350-356, 1995.
	*Shen, et al., "The 40-Kilodalton Allergen of Candida Albicans is an Alcohol Dehydrogenase: Molecular Cloning and Immunological Analysis Using Monoclonal Antibodies", <i>Clin Exp. Allergy</i> , 21 :675-681, 1991.
	*Shin, et al., "Biochemical and Structural Analysis of the IgE Binding Sites on Ara h1, An Abundant and Highly Allergenic Peanut Protein", <i>J. Biol. Chem.</i> 273 (22): 13753-9, May, 1998.
	*Shin, et al., Characterization of a Major Peanut Allergen: Mutational Analysis of the Ara h 1 IgE Binding Epitopes and Strategies for the Creation of a Hypoallergenic Peanut Clone", Abstract.
	*Shin, Modulation of the Reactivity of the Major Peanut Allergen Ara h 1 Through Epitope Characterization, Structural Analysis, and Mutation", Abstract.
	*Shin, et al., "Tertiary Structure of the Major Peanut Allergen Ara h 1: Implications for the Bioengineering of a Hypoallergenic Protein", Abstract.
	*Sidoli, et al., "Cloning, Expression, and Immunological Characterization of Recombinant Lolium-Perenne Allergen Lol p II", <i>J. Biol Chem.</i> , 268 :21819-21825, 1993.
	*Simons, et al., "Fel D 1 Peptides: Effect on Skin Tests and Cytokine Synthesis in Cat-Allergic Human Subjects", <i>Int Immunol.</i> 8 (12): 1937-45, December, 1996.
	*Singh, et al., "Isolation of cDNA Encoding a Newly Identified -Major Allergenic P, rotein of Rye-Grass Pollen: Intracellular Targeting to the Amyloplast", <i>Proc. Natl. Acad. Sci.</i> , 88 :1384-1388, 1991.
	*Smith, et al., "Cloning and Expression in Yeast Pichia Pastoris of a Biologically Active Form of Cyn d 1, the Major Allergen of Bermuda Grass Pollen", <i>J. Allergy Clin. Immunol.</i> 98 :331-343, 1996.
✓	*Smith, et al., "Comparative Analysis of the Genes Encoding Group 3 Allergens from Dermatophagoides Pteronyssinus and Dermatophagoides Farinae", <i>Int Arch Allergy Immunol.</i> , 109 :133-140, 1996.

TJA

7/22/03

COPY OF PAPERS
ORIGINALLY FILED




Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Palk	*Soldatova, et al., "Sequence Similarity of a Hornet (<i>D. Maculata</i>) Venom Allergen Phospholipase A ₁ with Mammalian Lipases", <i>FEBS Letters</i> , 320 :145-149, 1993.
	*Sone, et al., "T Cell Epitopes in a Japanese Cedar (<i>Cryptomeria Japonica</i>) Pollen Allergens: Choice of Major T Cell Epitopes in Cry j 1 and Cry j 2 Toward Design of the Peptide-Immunotherapeutics for the Management of Japanese Cedar Pollinosis", <i>J. Immunol.</i> 161 (1): 448-57, July 1, 1998.
	*Sparholt, et al., "The Allergen Specific B-Cell Response During Immunotherapy." <i>Clinical and Experimental Allergy</i> , 22 : 648-653 (1992).
	*Stadler, et al., "Mimotope and Anti-Idiotypic Vaccines to Induce an Anti-IgE Response", <i>Int Arch Allergy Immunol.</i> 118 (2-4): 119-21, February-April, 1999.
	*Stanley, et al., "Biochemistry of Food Allergens", <i>Clin Rev. Allergy Immunol.</i> 17 (3): 279-91, 1999.
	*Stanley, et al., "Identification and Mutational Analysis of the Immunodominant IgE Binding Epitopes of the Major Peanut Allergen Ara h 2", <i>Arch Biochem Biophys.</i> 342 (2): 244-53, June, 1997.
	*Stanley, et al., "Peanut Hypersensitivity. IgE Binding Characteristics of a Recombinant Ara h I Protein", <i>Adv. Exp Med. Biol.</i> 409 : 213-6, 1996.
	*Stanley, et al., "Mapping of the B-Cell Epitopes on Ara h I and Ara h II, Legume Storage Proteins and Major Allergens Involved in Peanut Hypersensitivity", Abstract.
	*Stanley, et al., "Ara h I, A Major Allergen Involved in Peanut Hypersensitivity, Has Multiple IgE Binding Domains" Abstract.
	*Stanley, et al., "Isolation and Quantitation of mRNA Differentially Expressed in Stimulated T Lymphocytes from Peanut Hypersensitive Individuals", Abstract.
	*Stanworth, et al., "Allergy Treatment with a Peptide Vaccine", <i>Lancet.</i> 336 (8726): 1279-81, November 24, 1990.
	*Stanworth, et al., "Nomenclature for Synthetic Peptides Representative of Immunoglobulin Chain Sequences", <i>Bulletin WHO</i> , 68 : 109-111, 1990.
	*Steinberger, et al., "Construction of a Combinatorial IgE Library from an Allergic Patient. Isolation and Characterization of Human IgE Fabs with Specificity for the Major Timothy Grass Pollen Allergen, Phl p 5", <i>J. Biol. Chem.</i> 271 : 10967-10982, 1996.
	*Sunderasan, et al., "Latex B-Serum β -1,3-Glucanase (Hev b II) and a Component of the Microhelix (Hev b IV) are Major Latex Allergens" <i>J. Nat Rubb Res.</i> , 10 :82-99, 1995.
	*Suphioglu, et al., "Peptide Mapping Analysis of Group I Allergens of Grass Pollens", <i>Int Arch Allergy Immunol.</i> 102 (2): 144-51, 1993.
	*Suphioglu, et al., "Molecular Cloning and Immunological Characterisation of Cyn D 7, A Novel Calcium-Binding Allergen from Bermuda Grass Pollen", <i>FEBS Letter.</i> 402 :167-172, 1997.
✓	*Suphioglu, et al., "Cloning, Sequencing and Expression in Escherichia Coli of Pha a 1 and Four Isoforms of Pha a 5, The Major Allergens of Canary Grass Pollen", <i>Clin. Exp. Allergy</i> , 25 :853-865, 1995.

py n. 2/2

7/22/03

COPY OF PAPERS
ORIGINALLY FILED




RECEIVED

SEP 13 2002

Examiner's Initials	OTHER DOCUMENTS (CONT.) TECH CENTER 1600/2900 (Including Author, Title, Date, Pertinent Pages, Etc.)
PNH	*Sutton, et al., "Detection of IgE and IgG Binding Proteins After Electrophoresis Transfer From Polyacrylamide Gels", <i>Journal of Immunological Methods</i> , 52 :183-86, 1982.
	*Svirshchevskaya, et al., "Intravenous Injection of Major and Cryptic Peptide Epitopes of Ribotoxin, Asp F1 Inhibits T Cell Response Induced by Crude Aspergillus Fumigatus Antigens in Mice", 21(1) : 1-8, January 1, 2000.
	*Sward-Nordmo, et al., "The Glycoprotein Allergen Ag-54 (Cla h II) From Cladosporium Herbarum", Structural Studies of the Carbohydrate Moiety", <i>Int. Arch. Allergy Appl. Immunol.</i> , 85 :288-294, 1988.
	*Szostak, "In Vitro Genetics", <i>TIBS</i> , 19 :89, 1992.
	*Takai, et al., "Engineering of the Major House Dust Mite Allergen Der f 2 for Allergen-specific Immunotherapy," <i>Nature Biotechnology</i> , 15 :754-58 (1997).
	*Takashi, et al., "Engineering of Hypoallergenic Mutants of the Brassica Pollen Allergen, Bra r 1, for Immunotherapy," <i>FEBS Letters</i> , 434 : 255-260 (1998).
	*Taniai, et al., "N-Terminal Amino Acid Sequence of a Major Allergen of Japanese Cedar Pollen (Cry j I) <i>FEBS Letter</i> , 239 :329-332, 1988.
	*Taylor, et al., "Peanut Oil is Not Allergenic to Peanut Sensitive Individuals", <i>J. Allergy Clin. Immunol.</i> , 68 : 372-375 (1981).
	*Taylor, et al., "Evidence for the Ecistence of Multiple Allergens in Peanuts," <i>J. Allergy Clin. Immunol.</i> 69 :128, 1982.
	*Teshima, et al., "Isolation and Characterization of a Major Allergenic Component (gp55) of Aspergillus Fumigatus", <i>J. Allergy Clin. Immunol.</i> 92 :698-706, 1993.
	*Texier, et al., "HLA-DR Restricted Peptide Candidates for Bee Venom Immunotherapy", <i>J. Immunol.</i> 164(6) : 3177-84, March 15, 2000.
	*Thomas, et al., "Purification of Membrane Proteins," <i>Meth. Enzymol.</i> , 182 :499-520, 1990.
	*Tovey, et al., "Cloning and Sequencing of a cDNA Expressing a Recombinant House Dust Mite Protein that Binds Human IgE and Corresponds to an Important Low Molecular Weight Allergen", <i>J. Exp. Med.</i> 170 :1457-1462, 1989.
	*Towbin, et al., "Electrophoretic Transfer of Proteins from Polyacrylamide Gels to Nitrocellulose Sheets: Procedure and Some Applications," <i>Proc. Natl. Acad. Sci. USA</i> , 76 : 4350-54, 1979.
	*Trudinger, et al., "cDNA Encoding the Major Mite Allergen Der f II" <i>Clin. Exp. Allergy</i> , 21 :33-38, 1991.
	*Twardosz, "Molecular Characterization, Expression i Escherichia Coli, and Epitope Analysis of a Two EF-Hand Calcium-Binding Birch Pollen Allergen, Bet v 4," <i>Biochem. Biophys. Res. Commun</i> , 239 :197-204, 1997.
	*Valenta, et al., "cDNA Cloning and Expression of Timothy Grass (Phleum Pratense) Pollen Profilin in Escherichia Coli: Comparison with Birch Pollen Profilin", <i>Biochem. Biophys. Res. Commun.</i> 199 : 106-118.
✓	*Van Der Stoep, et al., "In vivo and in Vitro IgE Isotype Switching in Human B Lymphocytes: Evidence for a Predominantly direct IgM to IgE class Switch Program", <i>European J. Immunol</i> , 24 1307-1311, 1994

Poly N. Sjs

7/22/03




Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
PNA	*Van Hage-Hamsten, "Skin Test Evaluation of Genetically Engineered Hypoallergenic Derivatives of the Major Birch Pollen Allergen, Bet v 1: Results Obtained with A Mix of Two Recombinant Bet v 1 Fragments and Recombinant Bet v 1 Trimer in a Swedish Population Before the Birch Pollen Season", <i>J Allergy Clin Immunol.</i> 104(5) : 969-77, November, 1999.
	*Van Hage-Hamsten, et al., "N-Terminal Aminoacid Sequence of Major Allergen of the Mite <i>Lepidoglyphus Destructor</i> ," <i>J. Allergy Clin. Immunol.</i> 91 :353, 1993.
	*Van Hoeyveld, et al., "Allergenic and Antigenic Activity of Peptide Fragments in a Whey Hydrolysate Formula", 28(9) : 1131-7, September, 1998.
	*Van Kampen, et al., "Analysis of B-cell Epitopes in the N-Terminal Region of Chi t 1 component III using Monoclonal Antibodies," <i>Molecular Immunol.</i> 31 : 1133-1140 (1994).
	*Van Millgen, et al., "Differences Between Specificities of IgE and IgG4 Antibodies: Studies Using Recombinant Chain 1 and Chain 2 of the Major Cat Allergen <i>Felis Domesticus</i> (d) I. <i>Clin Exp Allergy</i> 25(3) : 247-51, March, 1995.
	*Van Milligen, et al., "IgE and IgG4 Binding to Synthetic Peptides of the Cat (<i>Felis Domesticus</i>) Maj Allergen Fel dI" <i>Int Arch Allergy Immunol.</i> 103(3) : 274-9, 1994.
	*Van Milligen, et al., "IgE Epitopes on the Cat (<i>Felis Domesticus</i>) Major Allergen Fel D I: A Study Wit Overlapping Synthetic Peptides", <i>J Allergy Clin Immunol.</i> 93(1 Pt 1) : 34-43, January, 1994
	*Van Ree, et al., "Rabbit IgG Directed to a Synthetic C-Terminal Peptide of the Major Grass Pollen Allergen Lol p I Inhibits Human Basophil Histamine Release Induced by Natural p I". <i>Int Arch Allergy Immunol.</i> 106(3) : 250-7, March, 1995.
	*Van Ree R, et al., "Lol p XI, a New Major Grass Pollen Allergen, is a Member of a Family of Soybean Trypsin Inhibitor-Related Protein", <i>J. Allergy Clin Immunol.</i> 95 :970-978, 1995.
	*Van't Hof, et al., "Epitope Mapping of the Cat (<i>Felis Domesticus</i>) Major Allergen Fel D I by Overlapping Synthetic Peptides and Monoclonal Antibodies Against Native and Denatured Fel D I", <i>Allergy</i> , 48(4) 255-63, May, 1993.
	*Van't Hof, et al., Epitope Mapping of the <i>Dermatophagoides Pteronyssinus</i> House Dust Mite Major Allergen Der p II Using Overlapping Synthetic Peptides", 28(11) : 1225-32, November, 1991.
	*Varela, et al., "Primary Structure of Lep d I, the Main <i>Lepidoglyphus Destructor</i> Allergen", <i>Eur J. Biochem.</i> , 225 :93-98, 1994.
	*Villalba, et al., "The Amino Acid Sequence of Ole e I, the Major Allergen From Olive Tree (<i>Olea Europaea</i>) Pollen", <i>Europ. J. Biochem.</i> , 216 :863-869, 1993.
	*Vives, et al., "A Truncated HIV-1 Tat Protein Basic Domain Rapaidly Translocates Through the Plasma Membrane and Accumulates in the Cell Nucleus", <i>The Journal of Biological Chemistry</i> ", 272(25) : 16010-16017, 1997.
	*Voller, et al., "Enzyme-Linked Immunosorbent Assay," <i>Manual of Clinical Laboratory Immunology</i> , Rose, ed., Chapter 17, Third Edition, 99-109, 1986.
✓	*Vrtala, "High Level Expression in <i>Escherichia Coli</i> and Purification of Recombinant Plant Profilins: Comparison of IgE Binding Capacity and Allergenic Activity," <i>Biochem. Biophys. Res. Comm</i> , 226 : 42-50, 1996.

[Handwritten signature]

7/22/03

SEP 13 2002

Examiner's Initials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)	TECH CENTER 1600/2900
LPH	*Vrtala, et al., "Conversion of the Major Birch Pollen Allergen, Bet v 1, Into Two Nonanaphylactic T Cell Epitope-Containing Fragments: Candidates for a Novel Form of Specific Immunotherapy", <i>J. Clin. Invest.</i> 99(7) : 1673-81, April, 1997.	
	*Vrtala, et al., "Division of the Major Birch Pollen Allergen, Bet v 1, Into Two Non-Anaphylactic Fragments", <i>Int Arch Allergy Immunol.</i> , 113 : 246-48, 1997.	
	*Wallner, et al., "Immunotherapy with T-Cell Reactive Peptides Derived from Allergens" <i>Allergy</i> 49(5) : 302-8, May, 1994.	
	*Watanabe, et al., "Primary Structure of an Allergenic Peptide Occurring in the Chymotryptic Hydrolysate of Gluten", <i>Biosci Biotechnol Biochem.</i> 59(8) : 1596-7, August, 1995.	
	*Weber, et al., "Characteristics of the Asparagine-Linked Oligosaccharide from Honey-Bee Venom Phospholipase A2". <i>Comp. Biochem. Physiol.</i> 83B : 321-324, 1986.	
	*Weber, et al., "Specific Interaction of IgE Antibodies with a Carbohydrate Epitope of Honey Bee Venom Phospholipase A2", <i>Allergy</i> , 42 : 464-470, 1987.	
	*Wiedermann, et al., "Suppression of Antigen-Specific T- and B-Cell Responses by Intranasal or Oral Administration of Recombinant Bet v 1, The Major Birch Pollen Allergen, in a Murine Model of Type I Allergy", <i>J. Allergy Clin Immunol.</i> , 103(6) : 1202-10, June, 1999.	
	*Williams, et al., "Identification of Epitopes Within Beta Lactoglobulin Recognised by Polyclonal Antibodies Using Phage Display and PEPSCAN", <i>J Immunol Methods.</i> 213(1) : 1-17, April, 1998.	
	*Woodfolk, et al., "Trichophyton Antigens Associated with IgE Antibodies and Delayed Type Hypersensitivity", <i>J. Biol. Chem.</i> 273 :29489-29496, 1998.	
	*Wu, et al., "Isolation and Preliminary Characterization of cDNA Encoding American Cockroach Allergens", <i>J. Allergy Clin. Immunol.</i> , 96 :352-359, 1995.	
	*Yamamoto, et al., "DNA From Bacteria, But Not From Vertebrates, Induces Interferons, Activates Natural Killer Cells and Inhibits Tumor Growth," <i>Microbiol. Immunol.</i> 36(9) : 983-97, 1992.	
	*Yang, et al., "Immunologic Characterization of a Recombinant Kentucky Bluegrass (Poapratensis) Allergenic Peptide", <i>J Allergy Clin Immunol.</i> 87(6) : 1096-104, June, 1991.	
	*Yeang, et al., "The 14.6 kd Rubber Elongation Factor (Hev b 1) and 24 kd (Hev b 3) Rubber Particle Proteins are Recognized by IgE from Patients with Spina Bifida and Latex Allergy" <i>J. Allergy Clin Immunol</i> , 98(3) : 628-639, 1996.	
	*Yssel, et al., "Peptide Induced Anergy of Human Allergen-Specific T Cells" <i>Adv Exp. Med Biol.</i> 409 : 405-10, 1996.	
	*Yunginger, et al., "Fatal Food-Induced Anaphylaxis," <i>JAMA</i> , 260 : 1450-2, 1988.	
	*Zimmerman, et al., "CpG Oligodexonucleotides Trigger Protective and Curative Th1 Responses in Lethal Murine Leishmaniasis," <i>J. Immunol.</i> 160(8) : 3627-30, 1998.	
EXAMINER 	7/22/03 DATE CONSIDERED	
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		

COPY OF PAPERS
ORIGINALLY FILED